

Station Road

Fire Notes Key:

- FD30 30 minute fire door w/ intumescent strips (FD30 to BS 476)
- FD30s 30 minute fire door w/ intumescent smoke seals (FD30S to BS 476) with sign
- SD D1 LD2 Grade D1 LD2 AFD - smoke detector
- HD D1 LD2 Grade D1 LD2 AFD - Heat detector
- EL D1 LD2 Emergency lighting to BS 5299 with 3 hours back up battery

- Illuminated fire escape signage to BS 5499
- 60 minute fire compartment line
- Fire Notice 1
- Fire Alarm 'Break Glass' Call Point
- Main Fire Escape Route
- Air Condition Heating & Cooling
- Mechanical Fan Unit

- FAS Visual Fire Alarm Sounder 28 V dc, 102dB @1.0 M
- Elec. Exit Door Push to Open (with Backup Battery & Manual)

NOTE

Managing restroom accessibility for disabled individual when the available facilities do not comply with accessibility

- 1- Policy and Training: Implement a policy ensuring accessibility in all future facility developments. Train staff on how to assist disabled individuals and respond to accessibility concerns.
- 2- Consult with Disabled Individuals: Engage with disabled people or advocacy groups to understand their needs and incorporate their feedback into facility improvements.

156

12810

154

No.1

Ballard

1000

2995

1500

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard

Ballard


Ballard

Ballard

Ballard

Ballard

Corrie Road



Drawn: R D
Checked: mrfd

Job:	154 STATION ROAD KT15 2BD stop and play soft play
Client:	Mr Ali Birak
drawing:	Shop Floor & Pavement Layout
date:	March 2025
Drg No.	VAF/RD/P02 Rev A
Scale:	1:100 @ a3